
Client:

Project: Spotlight Air Environmental Windsor & Goodwin 2; Urbana, IL

Work Order Sample Summary

Work Order: 22120323 Revision 0

Lab Sample ID	Client Sample ID	Tag Number	Collection Date	Date Received
22120323-001A	60263		12/8/2022 3:05:00 AM	12/9/2022

CLIENT:

Project: Spotlight Air Environmental Windsor & Goodwin 2; Urbana, IL

Work Order: 22120323 Revision 0

CASE NARRATIVE

TO-15 results that are reported in $\mu\text{g}/\text{m}^3$ and mg/m^3 are calculated based on a temperature of 25°C , atmospheric pressure of 760 mm Hg, and the molecular weight of the analyte.

STAT Analysis Corporation

2242 West Harrison St., Suite 200, Chicago, IL 60612-3766

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditations: IEPA ELAP 100445; ORELAP IL300001; AIHA-LAP, LLC 101160; NVLAP LabCode 101202-0

Date Reported: December 15, 2022

ANALYTICAL RESULTS

Date Printed: December 15, 2022

Client:

Client Sample ID: 60263

Work Order: 22120323 Revision 0

Collection Date: 12/8/2022 3:05:00 AM

Project: Spotlight Air Environmental Windsor & Goodwin 2; Urbana, IL

Matrix: Air

Lab ID: 22120323-001

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Volatile Organic Compounds in Air by GC/MS		TO-15		Prep Date: 12/12/2022		Analyst: KWV
1,1,1-Trichloroethane	ND	0.0015		mg/m ³	1	12/12/2022
1,1,2,2-Tetrachloroethane	ND	0.0019		mg/m ³	1	12/12/2022
1,1,2-Trichloroethane	ND	0.0015		mg/m ³	1	12/12/2022
1,1-Dichloroethane	ND	0.0011		mg/m ³	1	12/12/2022
1,1-Dichloroethene	ND	0.0011		mg/m ³	1	12/12/2022
1,2,4-Trichlorobenzene	ND	0.0021		mg/m ³	1	12/12/2022
1,2,4-Trimethylbenzene	ND	0.0014		mg/m ³	1	12/12/2022
1,2-Dibromoethane	ND	0.0022		mg/m ³	1	12/12/2022
1,2-Dichlorobenzene	ND	0.0017		mg/m ³	1	12/12/2022
1,2-Dichloroethane	ND	0.0011		mg/m ³	1	12/12/2022
1,2-Dichloropropane	ND	0.0013		mg/m ³	1	12/12/2022
1,3,5-Trimethylbenzene	ND	0.0014		mg/m ³	1	12/12/2022
1,3-Butadiene	ND	0.00063		mg/m ³	1	12/12/2022
1,3-Dichlorobenzene	ND	0.0017		mg/m ³	1	12/12/2022
1,4-Dichlorobenzene	ND	0.0017		mg/m ³	1	12/12/2022
1,4-Dioxane	ND	0.0025		mg/m ³	1	12/12/2022
2-Butanone	ND	0.0021		mg/m ³	1	12/12/2022
2-Hexanone	ND	0.0058		mg/m ³	1	12/12/2022
4-Ethyltoluene	ND	0.0014		mg/m ³	1	12/12/2022
4-Methyl-2-pentanone	ND	0.0058		mg/m ³	1	12/12/2022
Acetone	0.0084	0.0067	*	mg/m ³	1	12/12/2022
Benzene	ND	0.00090		mg/m ³	1	12/12/2022
Benzyl chloride	ND	0.0037		mg/m ³	1	12/12/2022
Bromodichloromethane	ND	0.0019		mg/m ³	1	12/12/2022
Bromoform	ND	0.0073		mg/m ³	1	12/12/2022
Bromomethane	ND	0.0027		mg/m ³	1	12/12/2022
Carbon disulfide	ND	0.00088		mg/m ³	1	12/12/2022
Carbon tetrachloride	ND	0.0018		mg/m ³	1	12/12/2022
Chlorobenzene	ND	0.0013		mg/m ³	1	12/12/2022
Chloroethane	ND	0.00075		mg/m ³	1	12/12/2022
Chloroform	ND	0.0014		mg/m ³	1	12/12/2022
Chloromethane	ND	0.0015		mg/m ³	1	12/12/2022
cis-1,2-Dichloroethene	ND	0.0011		mg/m ³	1	12/12/2022
cis-1,3-Dichloropropene	ND	0.0013		mg/m ³	1	12/12/2022
Cyclohexane	ND	0.00097		mg/m ³	1	12/12/2022
Dibromochloromethane	ND	0.0024		mg/m ³	1	12/12/2022
Dichlorodifluoromethane	0.0027	0.0014		mg/m ³	1	12/12/2022
Ethyl acetate	ND	0.0025		mg/m ³	1	12/12/2022

Qualifiers:

ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 HT - Sample received past holding time
 * - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
 S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range
 H - Holding time exceeded

STAT Analysis Corporation

2242 West Harrison St., Suite 200, Chicago, IL 60612-3766

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditations: IEPA ELAP 100445; ORELAP IL300001; AIHA-LAP, LLC 101160; NVLAP LabCode 101202-0

Date Reported: December 15, 2022

ANALYTICAL RESULTS

Date Printed: December 15, 2022

Client:

Client Sample ID: 60263

Work Order: 22120323 Revision 0

Collection Date: 12/8/2022 3:05:00 AM

Project: Spotlight Air Environmental Windsor & Goodwin 2; Urbana, IL

Matrix: Air

Lab ID: 22120323-001

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
----------	--------	----	-----------	-------	----	---------------

Volatile Organic Compounds in Air by GC/MS	TO-15					Prep Date: 12/12/2022 Analyst: KVV
---	--------------	--	--	--	--	------------------------------------

Ethylbenzene	ND	0.0012		mg/m ³	1	12/12/2022
Freon-113	ND	0.0022		mg/m ³	1	12/12/2022
Freon-114	ND	0.0099		mg/m ³	1	12/12/2022
Heptane	ND	0.0012		mg/m ³	1	12/12/2022
Hexachlorobutadiene	ND	0.0030		mg/m ³	1	12/12/2022
Hexane	ND	0.0025		mg/m ³	1	12/12/2022
Isopropyl Alcohol	ND	0.0035		mg/m ³	1	12/12/2022
m,p-Xylene	ND	0.0025		mg/m ³	1	12/12/2022
Methyl tert-butyl ether	ND	0.0010		mg/m ³	1	12/12/2022
Methylene chloride	ND	0.0098		mg/m ³	1	12/12/2022
Naphthalene	ND	0.0015		mg/m ³	1	12/12/2022
o-Xylene	ND	0.0012		mg/m ³	1	12/12/2022
Propene	ND	0.0049		mg/m ³	1	12/12/2022
Styrene	ND	0.0012		mg/m ³	1	12/12/2022
Tetrachloroethene	ND	0.0019		mg/m ³	1	12/12/2022
Tetrahydrofuran	ND	0.0021		mg/m ³	1	12/12/2022
Toluene	ND	0.0011		mg/m ³	1	12/12/2022
trans-1,2-Dichloroethene	ND	0.0011		mg/m ³	1	12/12/2022
trans-1,3-Dichloropropene	ND	0.0013		mg/m ³	1	12/12/2022
Trichloroethene	ND	0.0015		mg/m ³	1	12/12/2022
Trichlorofluoromethane	ND	0.0016		mg/m ³	1	12/12/2022
Vinyl acetate	ND	0.0099		mg/m ³	1	12/12/2022
Vinyl chloride	ND	0.00072		mg/m ³	1	12/12/2022
Xylenes, Total	ND	0.0037		mg/m ³	1	12/12/2022

Volatile Organic Compounds in Air by GC/MS	TO-15					Prep Date: 12/12/2022 Analyst: KVV
---	--------------	--	--	--	--	------------------------------------

1,1,1-Trichloroethane	ND	1.5		µg/m ³	1	12/12/2022
1,1,2,2-Tetrachloroethane	ND	1.9		µg/m ³	1	12/12/2022
1,1,2-Trichloroethane	ND	1.5		µg/m ³	1	12/12/2022
1,1-Dichloroethane	ND	1.1		µg/m ³	1	12/12/2022
1,1-Dichloroethene	ND	1.1		µg/m ³	1	12/12/2022
1,2,4-Trichlorobenzene	ND	2.1		µg/m ³	1	12/12/2022
1,2,4-Trimethylbenzene	ND	1.4		µg/m ³	1	12/12/2022
1,2-Dibromoethane	ND	2.2		µg/m ³	1	12/12/2022
1,2-Dichlorobenzene	ND	1.7		µg/m ³	1	12/12/2022
1,2-Dichloroethane	ND	1.1		µg/m ³	1	12/12/2022
1,2-Dichloropropane	ND	1.3		µg/m ³	1	12/12/2022
1,3,5-Trimethylbenzene	ND	1.4		µg/m ³	1	12/12/2022
1,3-Butadiene	ND	0.63		µg/m ³	1	12/12/2022

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 HT - Sample received past holding time
 * - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
 S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range
 H - Holding time exceeded

STAT Analysis Corporation

2242 West Harrison St., Suite 200, Chicago, IL 60612-3766

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditations: IEPA ELAP 100445; ORELAP IL300001; AIHA-LAP, LLC 101160; NVLAP LabCode 101202-0

Date Reported: December 15, 2022

ANALYTICAL RESULTS

Date Printed: December 15, 2022

Client:

Client Sample ID: 60263

Work Order: 22120323 Revision 0

Collection Date: 12/8/2022 3:05:00 AM

Project: Spotlight Air Environmental Windsor & Goodwin 2; Urbana, IL

Matrix: Air

Lab ID: 22120323-001

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Volatile Organic Compounds in Air by GC/MS		TO-15		Prep Date: 12/12/2022		Analyst: KWV
1,3-Dichlorobenzene	ND	1.7		µg/m ³	1	12/12/2022
1,4-Dichlorobenzene	ND	1.7		µg/m ³	1	12/12/2022
1,4-Dioxane	ND	2.5		µg/m ³	1	12/12/2022
2-Butanone	ND	2.1		µg/m ³	1	12/12/2022
2-Hexanone	ND	5.8		µg/m ³	1	12/12/2022
4-Ethyltoluene	ND	1.4		µg/m ³	1	12/12/2022
4-Methyl-2-pentanone	ND	5.8		µg/m ³	1	12/12/2022
Acetone	8.4	6.7	*	µg/m ³	1	12/12/2022
Benzene	ND	0.90		µg/m ³	1	12/12/2022
Benzyl chloride	ND	3.7		µg/m ³	1	12/12/2022
Bromodichloromethane	ND	1.9		µg/m ³	1	12/12/2022
Bromoform	ND	7.3		µg/m ³	1	12/12/2022
Bromomethane	ND	2.7		µg/m ³	1	12/12/2022
Carbon disulfide	ND	0.88		µg/m ³	1	12/12/2022
Carbon tetrachloride	ND	1.8		µg/m ³	1	12/12/2022
Chlorobenzene	ND	1.3		µg/m ³	1	12/12/2022
Chloroethane	ND	0.75		µg/m ³	1	12/12/2022
Chloroform	ND	1.4		µg/m ³	1	12/12/2022
Chloromethane	ND	1.5		µg/m ³	1	12/12/2022
cis-1,2-Dichloroethene	ND	1.1		µg/m ³	1	12/12/2022
cis-1,3-Dichloropropene	ND	1.3		µg/m ³	1	12/12/2022
Cyclohexane	ND	0.97		µg/m ³	1	12/12/2022
Dibromochloromethane	ND	2.4		µg/m ³	1	12/12/2022
Dichlorodifluoromethane	2.7	1.4		µg/m ³	1	12/12/2022
Ethyl acetate	ND	2.5		µg/m ³	1	12/12/2022
Ethylbenzene	ND	1.2		µg/m ³	1	12/12/2022
Freon-113	ND	2.2		µg/m ³	1	12/12/2022
Freon-114	ND	9.9		µg/m ³	1	12/12/2022
Heptane	ND	1.2		µg/m ³	1	12/12/2022
Hexachlorobutadiene	ND	3.0		µg/m ³	1	12/12/2022
Hexane	ND	2.5		µg/m ³	1	12/12/2022
Isopropyl Alcohol	ND	3.5		µg/m ³	1	12/12/2022
m,p-Xylene	ND	2.5		µg/m ³	1	12/12/2022
Methyl tert-butyl ether	ND	1.0		µg/m ³	1	12/12/2022
Methylene chloride	ND	9.8		µg/m ³	1	12/12/2022
Naphthalene	ND	1.5		µg/m ³	1	12/12/2022
o-Xylene	ND	1.2		µg/m ³	1	12/12/2022
Propene	ND	4.9		µg/m ³	1	12/12/2022

ND - Not Detected at the Reporting Limit

RL - Reporting / Quantitation Limit for the analysis

Qualifiers:

J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits

B - Analyte detected in the associated Method Blank

R - RPD outside accepted recovery limits

HT - Sample received past holding time

E - Value above quantitation range

* - Non-accredited parameter

H - Holding time exceeded

STAT Analysis Corporation

2242 West Harrison St., Suite 200, Chicago, IL 60612-3766

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditations: IEPA ELAP 100445; ORELAP IL300001; AIHA-LAP, LLC 101160; NVLAP LabCode 101202-0

Date Reported: December 15, 2022

ANALYTICAL RESULTS

Date Printed: December 15, 2022

Client:

Client Sample ID: 60263

Work Order: 22120323 Revision 0

Collection Date: 12/8/2022 3:05:00 AM

Project: Spotlight Air Environmental Windsor & Goodwin 2; Urbana, IL

Matrix: Air

Lab ID: 22120323-001

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Volatile Organic Compounds in Air by GC/MS		TO-15		Prep Date: 12/12/2022		Analyst: KWV
Styrene	ND	1.2		µg/m ³	1	12/12/2022
Tetrachloroethene	ND	1.9		µg/m ³	1	12/12/2022
Tetrahydrofuran	ND	2.1		µg/m ³	1	12/12/2022
Toluene	ND	1.1		µg/m ³	1	12/12/2022
trans-1,2-Dichloroethene	ND	1.1		µg/m ³	1	12/12/2022
trans-1,3-Dichloropropene	ND	1.3		µg/m ³	1	12/12/2022
Trichloroethene	ND	1.5		µg/m ³	1	12/12/2022
Trichlorofluoromethane	ND	1.6		µg/m ³	1	12/12/2022
Vinyl acetate	ND	9.9		µg/m ³	1	12/12/2022
Vinyl chloride	ND	0.72		µg/m ³	1	12/12/2022
Xylenes, Total	ND	3.7		µg/m ³	1	12/12/2022

Qualifiers:

ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 HT - Sample received past holding time
 * - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
 S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range
 H - Holding time exceeded