
Client:

Project: Spotlight Air Environmental

Work Order: 25010506

Work Order Sample Summary

<u>Lab Samp ID</u>	<u>Client Sample ID</u>	<u>Matrix</u>	<u>Tag Number</u>	<u>Collection Date</u>	<u>Date Received</u>	<u>Hold</u>
25010506-01	Neil & Bradley (Outdoors); Champaign IL	Air		1/22/2025 22:08	1/28/2025 15:10	<input type="checkbox"/>

Client:

Project: Spotlight Air Environmental

Work Order: 25010506

Case Narrative

The analytical data provided relates directly to the samples received by ALS Environmental and for only the analyses requested.

Results relate only to the items tested and are not blank corrected unless indicated.

QC sample results for this data met laboratory specifications. Any exceptions are noted in the Case Narrative, or noted with qualifiers in the report or QC batch information. Should this laboratory report need to be reproduced, it should be reproduced in full unless written approval has been obtained from ALS Environmental.

Sampling information was provided by the client.

Start: January 22, 10:08 p.m.

End: January 23, 6:08 a.m.

ALS Environmental

Date: 07-Feb-25

Client:

Project: Spotlight Air Environmental

Work Order: 25010506

Sample ID: Neil & Bradley (Outdoors); Champaign IL

Lab ID: 25010506-01

Collection Date: 1/22/2025 10:08 PM

Matrix: AIR

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
TO-15 BY GC/MS			ETO-15			Analyst: LAK
1,1,1-Trichloroethane	ND		2.73	µg/m3	1	1/31/2025 08:11 PM
1,1,2,2-Tetrachloroethane	ND		3.43	µg/m3	1	1/31/2025 08:11 PM
1,1,2-Trichloroethane	ND		1.09	µg/m3	1	1/31/2025 08:11 PM
1,1-Dichloroethane	ND		2.02	µg/m3	1	1/31/2025 08:11 PM
1,1-Dichloroethene	ND		1.98	µg/m3	1	1/31/2025 08:11 PM
1,2,4-Trichlorobenzene	ND		3.71	µg/m3	1	1/31/2025 08:11 PM
1,2,4-Trimethylbenzene	ND		2.46	µg/m3	1	1/31/2025 08:11 PM
1,2-Dibromoethane	ND		1.54	µg/m3	1	1/31/2025 08:11 PM
1,2-Dichlorobenzene	ND		3.01	µg/m3	1	1/31/2025 08:11 PM
1,2-Dichloroethane	ND		0.809	µg/m3	1	1/31/2025 08:11 PM
1,2-Dichloropropane	ND		2.31	µg/m3	1	1/31/2025 08:11 PM
1,3,5-Trimethylbenzene	ND		2.46	µg/m3	1	1/31/2025 08:11 PM
1,3-Butadiene	ND		0.442	µg/m3	1	1/31/2025 08:11 PM
1,3-Dichlorobenzene	ND		3.01	µg/m3	1	1/31/2025 08:11 PM
1,4-Dichlorobenzene	ND		1.20	µg/m3	1	1/31/2025 08:11 PM
1,4-Dioxane	ND		1.80	µg/m3	1	1/31/2025 08:11 PM
2-Butanone	ND		2.95	µg/m3	1	1/31/2025 08:11 PM
2-Hexanone	ND		4.10	µg/m3	1	1/31/2025 08:11 PM
2-Propanol	ND		2.46	µg/m3	1	1/31/2025 08:11 PM
4-Ethyltoluene	ND		2.46	µg/m3	1	1/31/2025 08:11 PM
4-Methyl-2-pentanone	ND		4.10	µg/m3	1	1/31/2025 08:11 PM
Acetone	2.59		2.38	µg/m3	1	1/31/2025 08:11 PM
Benzene	ND		1.60	µg/m3	1	1/31/2025 08:11 PM
Benzyl chloride	ND		2.55	µg/m3	1	1/31/2025 08:11 PM
Bromodichloromethane	ND		1.34	µg/m3	1	1/31/2025 08:11 PM
Bromoform	ND		5.17	µg/m3	1	1/31/2025 08:11 PM
Bromomethane	ND		1.94	µg/m3	1	1/31/2025 08:11 PM
Carbon disulfide	ND		1.56	µg/m3	1	1/31/2025 08:11 PM
Carbon tetrachloride	ND		3.15	µg/m3	1	1/31/2025 08:11 PM
Chlorobenzene	ND		2.30	µg/m3	1	1/31/2025 08:11 PM
Chloroethane	ND		1.32	µg/m3	1	1/31/2025 08:11 PM
Chloroform	2.21		0.976	µg/m3	1	1/31/2025 08:11 PM
Chloromethane	ND		1.03	µg/m3	1	1/31/2025 08:11 PM
cis-1,2-Dichloroethene	4.42		1.98	µg/m3	1	1/31/2025 08:11 PM
cis-1,3-Dichloropropene	ND		2.27	µg/m3	1	1/31/2025 08:11 PM
Cumene	ND		2.46	µg/m3	1	1/31/2025 08:11 PM
Cyclohexane	ND		1.72	µg/m3	1	1/31/2025 08:11 PM
Dibromochloromethane	ND		4.26	µg/m3	1	1/31/2025 08:11 PM
Dichlorodifluoromethane	ND		2.47	µg/m3	1	1/31/2025 08:11 PM

Note:

ALS Environmental

Date: 07-Feb-25

Client:

Project: Spotlight Air Environmental

Work Order: 25010506

Sample ID: Neil & Bradley (Outdoors); Champaign IL

Lab ID: 25010506-01

Collection Date: 1/22/2025 10:08 PM

Matrix: AIR

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Ethyl acetate	ND		1.80	µg/m3	1	1/31/2025 08:11 PM
Ethylbenzene	ND		2.17	µg/m3	1	1/31/2025 08:11 PM
Freon 113	ND		3.83	µg/m3	1	1/31/2025 08:11 PM
Freon 114	ND		3.50	µg/m3	1	1/31/2025 08:11 PM
Heptane	ND		2.05	µg/m3	1	1/31/2025 08:11 PM
Hexachlorobutadiene	ND		2.13	µg/m3	1	1/31/2025 08:11 PM
Hexane	ND		1.76	µg/m3	1	1/31/2025 08:11 PM
m,p-Xylene	ND		2.17	µg/m3	1	1/31/2025 08:11 PM
Methylene chloride	ND		7.00	µg/m3	1	1/31/2025 08:11 PM
MTBE	ND		1.80	µg/m3	1	1/31/2025 08:11 PM
Naphthalene	ND		1.05	µg/m3	1	1/31/2025 08:11 PM
o-Xylene	ND		2.17	µg/m3	1	1/31/2025 08:11 PM
Propene	ND		0.861	µg/m3	1	1/31/2025 08:11 PM
Styrene	ND		2.13	µg/m3	1	1/31/2025 08:11 PM
Tetrachloroethene	28.9		3.39	µg/m3	1	1/31/2025 08:11 PM
Tetrahydrofuran	ND		1.47	µg/m3	1	1/31/2025 08:11 PM
Toluene	ND		1.88	µg/m3	1	1/31/2025 08:11 PM
trans-1,2-Dichloroethene	ND		1.98	µg/m3	1	1/31/2025 08:11 PM
trans-1,3-Dichloropropene	ND		2.27	µg/m3	1	1/31/2025 08:11 PM
Trichloroethene	1.11		1.07	µg/m3	1	1/31/2025 08:11 PM
Trichlorofluoromethane	ND		2.81	µg/m3	1	1/31/2025 08:11 PM
Vinyl acetate	ND		3.52	µg/m3	1	1/31/2025 08:11 PM
Vinyl chloride	ND		1.28	µg/m3	1	1/31/2025 08:11 PM
Surr: Bromofluorobenzene	93.1		60-140	%REC	1	1/31/2025 08:11 PM

Note:

Client:

QC BATCH REPORT

Work Order: 25010506

Project: Spotlight Air Environmental

Batch ID: R238911 Instrument ID VMS4 Method: ETO-15

MBLK		Sample ID: MBLK-R238911			Units: ppbv		Analysis Date: 1/31/2025 01:26 PM			
Client ID:		Run ID: VMS4_250131A			SeqNo: 3616144		Prep Date:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,1-Trichloroethane	ND	0.50								
1,1,2,2-Tetrachloroethane	ND	0.50								
1,1,2-Trichloroethane	ND	0.20								
1,1-Dichloroethane	ND	0.50								
1,1-Dichloroethene	ND	0.50								
1,2,4-Trichlorobenzene	ND	0.50								
1,2,4-Trimethylbenzene	ND	0.50								
1,2-Dibromoethane	ND	0.20								
1,2-Dichlorobenzene	ND	0.50								
1,2-Dichloroethane	ND	0.20								
1,2-Dichloropropane	ND	0.50								
1,3,5-Trimethylbenzene	ND	0.50								
1,3-Butadiene	ND	0.20								
1,3-Dichlorobenzene	ND	0.50								
1,4-Dichlorobenzene	ND	0.20								
1,4-Dioxane	ND	0.50								
2-Butanone	ND	1.0								
2-Hexanone	ND	1.0								
2-Propanol	ND	1.0								
4-Ethyltoluene	ND	0.50								
4-Methyl-2-pentanone	ND	1.0								
Acetone	ND	1.0								
Benzene	ND	0.50								
Benzyl chloride	ND	0.50								
Bromodichloromethane	ND	0.20								
Bromoform	ND	0.50								
Bromomethane	ND	0.50								
Carbon disulfide	ND	0.50								
Carbon tetrachloride	ND	0.50								
Chlorobenzene	ND	0.50								
Chloroethane	ND	0.50								
Chloroform	ND	0.20								
Chloromethane	ND	0.50								
cis-1,2-Dichloroethene	ND	0.50								
cis-1,3-Dichloropropene	ND	0.50								
Cumene	ND	0.50								
Cyclohexane	ND	0.50								
Dibromochloromethane	ND	0.50								
Dichlorodifluoromethane	ND	0.50								
Ethyl acetate	ND	0.50								
Ethylbenzene	ND	0.50								

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client:

QC BATCH REPORT

Work Order: 25010506

Project: Spotlight Air Environmental

Batch ID: R238911	Instrument ID VMS4	Method: ETO-15						
Freon 113	ND	0.50						
Freon 114	ND	0.50						
Heptane	ND	0.50						
Hexachlorobutadiene	ND	0.20						
Hexane	ND	0.50						
m,p-Xylene	ND	0.50						
Methylene chloride	ND	2.0						
MTBE	ND	0.50						
Naphthalene	0.152	0.20					J	
o-Xylene	ND	0.50						
Propene	ND	0.50						
Styrene	ND	0.50						
Tetrachloroethene	ND	0.50						
Tetrahydrofuran	ND	0.50						
Toluene	ND	0.50						
trans-1,2-Dichloroethene	ND	0.50						
trans-1,3-Dichloropropene	ND	0.50						
Trichloroethene	ND	0.20						
Trichlorofluoromethane	ND	0.50						
Vinyl acetate	ND	1.0						
Vinyl chloride	ND	0.50						
<i>Surr: Bromofluorobenzene</i>	<i>9.013</i>	<i>0</i>	<i>10</i>	<i>0</i>	<i>90.1</i>	<i>60-140</i>	<i>0</i>	

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client:

QC BATCH REPORT

Work Order: 25010506

Project: Spotlight Air Environmental

Batch ID: R238911

Instrument ID VMS4

Method: ETO-15

LCS		Sample ID: Ics-R238911				Units: ppbv		Analysis Date: 1/31/2025 12:40 PM		
Client ID:		Run ID: VMS4_250131A			SeqNo: 3616143		Prep Date:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,1-Trichloroethane	9.312	0.50	10	0	93.1	58.8-163	0			
1,1,2,2-Tetrachloroethane	9.672	0.50	10	0	96.7	60-140	0			
1,1,2-Trichloroethane	9.471	0.20	10	0	94.7	60-140	0			
1,1-Dichloroethane	8.927	0.50	10	0	89.3	60-140	0			
1,1-Dichloroethene	9.435	0.50	10	0	94.4	60-140	0			
1,2,4-Trichlorobenzene	13.22	0.50	10	0	132	49.3-150	0			
1,2,4-Trimethylbenzene	9.998	0.50	10	0	100	50.1-162	0			
1,2-Dibromoethane	10.17	0.20	10	0	102	60-140	0			
1,2-Dichlorobenzene	10.78	0.50	10	0	108	41.9-141	0			
1,2-Dichloroethane	9.341	0.20	10	0	93.4	60-140	0			
1,2-Dichloropropane	9.275	0.50	10	0	92.8	60-140	0			
1,3,5-Trimethylbenzene	9.567	0.50	10	0	95.7	60-140	0			
1,3-Butadiene	8.166	0.20	10	0	81.7	50.6-140	0			
1,3-Dichlorobenzene	10.84	0.50	10	0	108	60-140	0			
1,4-Dichlorobenzene	10.69	0.20	10	0	107	55.1-145	0			
1,4-Dioxane	9.305	0.50	10	0	93	60-140	0			
2-Butanone	9.287	1.0	10	0	92.9	60-140	0			
2-Hexanone	10.49	1.0	10	0	105	56.2-162	0			
2-Propanol	8.73	1.0	10	0	87.3	60-140	0			
4-Ethyltoluene	10.07	0.50	10	0	101	60-140	0			
4-Methyl-2-pentanone	10.16	1.0	10	0	102	60-140	0			
Acetone	8.907	1.0	10	0	89.1	60-140	0			
Benzene	8.659	0.50	10	0	86.6	60-140	0			
Benzyl chloride	10.04	0.50	10	0	100	31.9-174	0			
Bromodichloromethane	9.665	0.20	10	0	96.6	60-140	0			
Bromoform	9.987	0.50	10	0	99.9	60-140	0			
Bromomethane	9.457	0.50	10	0	94.6	60-140	0			
Carbon disulfide	8.965	0.50	10	0	89.6	60-140	0			
Carbon tetrachloride	9.795	0.50	10	0	98	60-140	0			
Chlorobenzene	8.902	0.50	10	0	89	60-140	0			
Chloroethane	9.448	0.50	10	0	94.5	60-140	0			
Chloroform	9.152	0.20	10	0	91.5	60-140	0			
Chloromethane	9.269	0.50	10	0	92.7	60-140	0			
cis-1,2-Dichloroethene	9.723	0.50	10	0	97.2	60-140	0			
cis-1,3-Dichloropropene	10.49	0.50	10	0	105	60-140	0			
Cumene	9.34	0.50	10	0	93.4	60-140	0			
Cyclohexane	8.912	0.50	10	0	89.1	60-140	0			
Dibromochloromethane	9.978	0.50	10	0	99.8	60-140	0			
Dichlorodifluoromethane	8.931	0.50	10	0	89.3	60-140	0			
Ethyl acetate	10.52	0.50	10	0	105	60-140	0			
Ethylbenzene	8.879	0.50	10	0	88.8	60-140	0			
Freon 113	9.61	0.50	10	0	96.1	60-140	0			

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client:

QC BATCH REPORT

Work Order: 25010506

Project: Spotlight Air Environmental

Batch ID: R238911	Instrument ID VMS4		Method: ETO-15					
Freon 114	9.132	0.50	10	0	91.3	60-140	0	
Heptane	8.898	0.50	10	0	89	60-140	0	
Hexachlorobutadiene	11.02	0.20	10	0	110	60-140	0	
Hexane	9.29	0.50	10	0	92.9	60-140	0	
m,p-Xylene	17.6	0.50	20	0	88	60-140	0	
Methylene chloride	9.378	2.0	10	0	93.8	60-140	0	
MTBE	9.069	0.50	10	0	90.7	60.8-151	0	
Naphthalene	12.11	0.20	10	0	121	53.1-152	0	
o-Xylene	9.137	0.50	10	0	91.4	60-140	0	
Propene	8.673	0.50	10	0	86.7	34.4-139	0	
Styrene	9.558	0.50	10	0	95.6	60-140	0	
Tetrachloroethene	9.871	0.50	10	0	98.7	60-140	0	
Tetrahydrofuran	9.507	0.50	10	0	95.1	60-140	0	
Toluene	8.973	0.50	10	0	89.7	60-140	0	
trans-1,2-Dichloroethene	9.384	0.50	10	0	93.8	60-140	0	
trans-1,3-Dichloropropene	9.712	0.50	10	0	97.1	60-140	0	
Trichloroethene	9.534	0.20	10	0	95.3	60-140	0	
Trichlorofluoromethane	9.349	0.50	10	0	93.5	60-140	0	
Vinyl acetate	9.205	1.0	10	0	92	48.4-145	0	
Vinyl chloride	8.204	0.50	10	0	82	60-140	0	
<i>Surr: Bromofluorobenzene</i>	<i>10.47</i>	<i>0</i>	<i>10</i>	<i>0</i>	<i>105</i>	<i>60-140</i>	<i>0</i>	

The following samples were analyzed in this batch:

25010506-01A

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client:
Project: Spotlight Air Environmental
WorkOrder: 25010506

**QUALIFIERS,
 ACRONYMS, UNITS**

<u>Qualifier</u>	<u>Description</u>
*	Value exceeds Regulatory Limit
a	Not accredited
B	Analyte detected in the associated Method Blank above the Reporting Limit
E	Value above quantitation range
H	Analyzed outside of Holding Time
J	Analyte detected below quantitation limit
n	Not offered for accreditation
ND	Not Detected at the Reporting Limit
O	Sample amount is > 4 times amount spiked
P	Dual Column results percent difference > 40%
R	RPD above laboratory control limit
S	Spike Recovery outside laboratory control limits
U	Analyzed but not detected above the MDL

<u>Acronym</u>	<u>Description</u>
DUP	Method Duplicate
E	EPA Method
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
MBLK	Method Blank
MDL	Method Detection Limit
MQL	Method Quantitation Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
PDS	Post Digestion Spike
PQL	Practical Quantitation Limit
SDL	Sample Detection Limit
SW	SW-846 Method

<u>Units Reported</u>	<u>Description</u>
µg/m3	
ppbv	